

Prior to the first Official Action and calculation of the filing fee, please amend claims 1-7 as follows:

IN THE CLAIMS:

--1. (Amended) Tubing (for the extracorporeal purification of the blood of a human being or a warm-blooded animal), comprising an open loop extracorporeal circulation conduit having two portions, one for extraction of the blood to be purified (1), the other for return of the purified blood (2), (adapted to be connected to purification means (6)), at least one conduit (29, 30, 31) (to connect at least one of said portions (1, 2) to a source (16, 16') of a substitution solution), a bubble trap (7) located along said loop, an evacuation product (28) (for product rejected into a recovery chamber (15) by said purification means), provided with a segment adapted to serve as a pump body adapted to be connected with a peristaltic pump and connection means (11) removably to connect to each other the respective ends (45, 46) of said open loop extracorporeal circulation tubing (1, 2) to form a closed loop, said evacuation ^{↓ (5)} conduit (28) for rejecting product comprising, downstream of said segment adapted to serve as a pump body, a blood detector (14), characterized in that a connection conduit (8) extends between the downstream end of said segment (adapted to serve as a pump body and said bubble trap (7)).

fig 5
2. (Amended) Tubing according to claim 1, characterized in that it moreover comprises a buffer reservoir (50) in the section of the circulation loop (adapted) to be located downstream of said purification means.

acc
cent
3. (Amended) Tubing according to claim 1, characterized in that said connection conduit (8) comprises means (47) to control the flow rate through it.

4. (Amended) Tubing according to claim 1, characterized in that each of said portions (1, 2) of said circulation element is connected to said source (16, 16') of substitution solution.

5. (Amended) Tubing according to claim 1, characterized in that said conduit (29) for connecting at least one of said portions of said circulation conduit (1, 2) to said source of substitution solution, comprises a junction and switching means (32) alternatively to connect said portion to at least two chambers (16, 16') for said solution.

Olivier FAVRE

Ar
ant
6. (Amended) The use of tubing according to claim 1, said circulation conduit (1, 2) forming a closed loop, characterized in that the liquid is caused to circulate in said closed circulation loop (1, 2) to evacuate air which it contains, through said connection conduit (8).

09914720-122601
7. (Amended) The use of the tubing according to claim 6 characterized in that the extraction pump for blood is actuated when the blood return pump (17) is stopped and until the pressure measured by the detector (42) reaches or exceeds a predetermined threshold value.--

R E M A R K S

The above changes in the specification and claims merely place this national phase application in the same condition as it was during Chapter II of the international phase, with the multiple dependencies being removed. Only claims 1-10 remain pending in this application. Attached hereto is a marked-up